

(12) United States Patent

Parks et al.

US 8,784,214 B2 (10) Patent No.: (45) Date of Patent: Jul. 22, 2014

(54)	METHOD AND SYSTEM FOR
	ESTABLISHING LOCATION-BASED
	LEADERBOARD

(75) Inventors: William T. Parks, San Francisco, CA (US); Luke Bond, London (GB); Mark

Petty, London (GB)

Assignee: Sony Computer Entertainment Inc.,

Tokyo (JP)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 13/176,640

(22)Filed: Jul. 5, 2011

(65)**Prior Publication Data**

> US 2013/0013094 A1 Jan. 10, 2013

(51) Int. Cl. A63F 9/24 (2006.01)A63F 13/00 (2014.01)G06F 17/00 (2006.01)G06F 19/00 (2011.01)

(52) U.S. Cl.

USPC 463/42; 463/40; 463/41; 709/202;

(58) Field of Classification Search

See application file for complete search history.

(56)**References Cited**

U.S. PATENT DOCUMENTS

6,840,861 I	B2 *	1/2005	Jordan et al	463/42
6,985,747 1	B2 *	1/2006	Chithambaram	455/456.5

2007/0238507	A1*	10/2007	Sobel et al 463/1	7
2011/0010464	A1*	1/2011	Morrison et al 709/24	5
2011/0252079	A1*	10/2011	Werner et al 709/20	2

OTHER PUBLICATIONS

U.S. Appl. No. 13/181,464, filed Jul. 12, 2011. U.S. Appl. No. 13/190,411, filed Jul. 25, 2011.

International Search Report mailed date Jul. 27, 2012, for International PCT Application No. PCT/US2012/045454.

* cited by examiner

Primary Examiner — Milap Shah Assistant Examiner — Jason Pinheiro (74) Attorney, Agent, or Firm — Joshua D. Isenberg; JDI Patent

(57)ABSTRACT

Methods for establishing a location-based leaderboard by a computer game system are disclosed. The world may be partitioned into a set of regions and sub-regions by the computer game system using a hierarchical spatial data structure, wherein the regions and sub-regions are arranged according to a hierarchy, each sub-region being encompassed by a higher-level sub-region or region, and two or more highestlevel sub-regions being encompassed by a region. A location of a user of the computer game system along with one or more statistics associated with the user may be assigned to a smallest sub-region created by the hierarchical spatial data structure. A rank of the user may then be determined within a region or sub-region encompassing the smallest sub-region to which the user's location was assigned, wherein the rank is determined using the one or more statistics associated with the user. One or more users may then be notified of the rank.

21 Claims, 9 Drawing Sheets

601 INSTRUCTIONS FOR IMPLEMENTING LOCATION-**BASED LEADERBOARD** PARTITIONING WORLD INTO REGION/SUB-REGION INSTRUCTIONS (OPTIONAL) 603 ASSIGNING USER LOCATION/STATISTICS INSTRUCTIONS 605 DETERMINING USER RANK INSTRUCTIONS

600